#### DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

Interim Final 2/5/99

# RCRA Corrective Action Environmental Indicator (EI) RCRIS code (CA750)

#### Migration of Contaminated Groundwater Under Control

Facility Name: Facility Address: Facility EPA ID #:		former RAMP Industries	·	
		1038 and 1127 W. 46th Avenue, Denver, CO 80211	n far si	_
		COD 98 071 8985		
			12.	* .
1.	groundwater	able relevant/significant information on known and reasonal media, subject to RCRA Corrective Action (e.g., from Soli egulated Units (RU), and Areas of Concern (AOC)), been c	id Waste Manage	ment Units
	_ <b>_</b> x	If yes - check here and continue with #2 below.		
\$60950 Julius	3.500 ·	If no - re-evaluate existing data, or		
dig tr		if data are not available skip to #6 and enter"IN" (mor	re information ne	eded) status code.

#### **BACKGROUND**

#### Definition of Environmental Indicators (for the RCRA Corrective Action)

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

## Definition of "Migration of Contaminated Groundwater Under Control" EI

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

#### Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated ground water and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

#### **Duration / Applicability of EI Determinations**

El Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

•	Is groundwater known or reasonably suspected to be "contaminated" above appropriately protective "levels" (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action, anywhere at, or from, the facility						
	<del></del>	If yes - continue after identifying key contaminants, citing appropriate "levels," and referencing supporting documentation.					
**		If no - skip to #8 and enter "YE" status code, after citing appropriate "levels," and					
		referencing supporting documentation to demonstrate that groundwater is not "contaminated."					
		If unknown - skip to #8 and enter "IN" status code.					

Rationale and Reference(s): Documentation and sampling information provided by EPA Region 8 (August 31, 1999 memorandum from Bob Bianchi, U.S. Bureau of Reclamation, to Russell Leclerc and Erna Waterman, U.S. EPA) indicated that, based on ground water samples taken June 9, 1999 and July 19, 1998, no contamination was found in ground water above applicable State ground water standards at or downgradient of the facility.

#### Footnotes:

"Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate "levels" (appropriate for the protection of the groundwater resource and its beneficial uses).

3.	Has the migration of contaminated groundwater stabilized (such that contaminated groundwater is expected to remain within "existing area of contaminated groundwater" as defined by the monitoring locations designated at the time of this determination)?					
N Company		If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of the "existing area of groundwater contamination" <sup>2</sup> ).				
		If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the "existing area of groundwater contamination" - skip to #8 and enter "NO" status code, after providing an explanation.				
		If unknown - skip to #8 and enter "IN" status code.				

Rationale and Reference(s):

<sup>&</sup>lt;sup>2</sup> "existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

•	<u> </u>	ated" groundwater discharge into surface water bodies?  If yes - continue after identifying potentially affected st		odies.
		If no - skip to #7 (and enter a "YE" status code in #8, if explanation and/or referencing documentation supporting "contamination" does not enter surface water bodies.		
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		If unknown - skip to #8 and enter "IN" status code.		
	Rationale and R	eference(s):	en e	

maximum conce appropriate grou discharging cont	of "contaminated" groundwater into surface wantration of each contaminant discharging into indwater "level," and there are no other conditionaminants, or environmental setting), which signacts to surface water, sediments, or eco-system	surface water is less than 10 times their ions (e.g., the nature, and number, of mificantly increase the potential for
	If yes - skip to #7 (and enter "YE" status cod the maximum known or reasonably suspected discharged above their groundwater "level," there is evidence that the concentrations are in professional judgement/explanation (or refer discharge of groundwater contaminants into unacceptable impacts to the receiving surface	d concentration <sup>3</sup> of <u>key</u> contaminants the value of the appropriate "level(s)," and if increasing; and 2) provide a statement of ence documentation) supporting that the the surface water is not anticipated to have
	If no - (the discharge of "contaminated" grous significant) - continue after documenting: 1) suspected concentration of each contaminant the value of the appropriate "level(s)," and if increasing; and 2) for any contaminants discipled greater than 100 times their appropriate grous (mass in kg/yr) of each of these contaminant surface water body (at the time of the determinant that the amount of discharging contaminants	the maximum known or reasonably at discharged above its groundwater "level," If there is evidence that the concentrations are harging into surface water in concentrations andwater "levels," the estimated total amount is that are being discharged (loaded) into the hination), and identify if there is evidence
Rationale and R	If unknown - enter "IN" status code in #8.	

<sup>3</sup> As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

acceptable" (i.	rge of "contaminated" groundwater into surface water be shown to be "currently e., not cause impacts to surface water, sediments or eco-systems that should not be allowed il a final remedy decision can be made and implemented <sup>4</sup> )?
	If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site's surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR 2) providing or referencing an interim-assessment, appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment "levels," as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the El determination.
3. 网络罗马克 6. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	makin ing palikum panggalan ing manakan panggalan kanakan bana ang manakan banasa banasa banasa banasa banasa
The second secon	If no - (the discharge of "contaminated" groundwater can not be shown to be "currently acceptable") - skip to #8 and enter "NO" status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems.
	If unknown - skip to 8 and enter "IN" status code.
Rationale and	Reference(s):

<sup>&</sup>lt;sup>4</sup> Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

<sup>&</sup>lt;sup>5</sup> The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

7.	necessary	) be col	lected in the	/ measurement d future to verify th ssary) dimension	at contamii	nated gro	undwater h	as remain	ed within the	
	• • • • • • • • • • • • • • • • • • •		sampling/me which will b groundwater	inue after providi easurement events e tested in the fut contamination w eyond the "existi	s. Specification of the second	ally identify the exp nigrating	ify the well ectation (id horizontally	measurer entified in (or verti	nent locations n #3) that	re
	e two o		If no - enter	"NO" status cod	e in #8.			¥.5		
			If unknown	- enter "IN" statu	s code in #	8.		4 12 2		
11.50		***				Ý i · · · ·	#5 (## 1)	$\lambda_{i+1} \in \mathcal{F}_{i+1,i}^{(i)}$	- 19km (44), 13, 4	
1.74.4			ference(s):	An in his think						
10 per 18	· 李素等的情况。		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	Township The	. Afrikasion (S	$\gamma = \frac{1}{2} \frac{\partial u}{\partial x} + \alpha$	17 41 H	a Solder	A Commence	

the plant of the property of the plant of the control of the contr

1. (1987年) **(1987年) 1. (1987年)** (1987年) 1. (1987年) 1.

8.	El (event code (	CA750), and $c$	obtain Supervisor (or a	ppropriate Manager)	nated Groundwater Under Control signature and date on the EI ell as a map of the facility).
		determination of the conducted to the co	ased on a review of the on, it has been determined in "Under Control" 18 071 8985, located a fically, this determination of confirm that contaminated of contaminated groundwater is under of contaminated groundwater is under of contaminated groundwater of contaminated groundwater is under the contaminated grou	e information contain ned that the "Migrat at the former RAMI it 1038 and 1127 W. on indicates that the der control, and that inated groundwater r bundwater" This dete	ion of Contaminated  Pindustries facility, EPA  46th Avenue, Denver, migration of monitoring will be
				and the same of the same of	iwater is observed or expected.
		IN - More	information is needed	to make a determina	tion.
	Completed by	(signature) (print) (title)	Caren Johannes  Geologist/EPS II		Date 10 Sept 1999
al esa	Supervisor	(signature)	1 Wat		Date Spot. 13, 1999
	• • • • • • • • • • • • • • • • • • •	(print)	Walter Avramenko		
		(title)	Unit Leader, HWCA	Unit	
		(EPA Region	on or State) Colorado		and the second of the second o
	Locations where	e References	may be found:	in the second of	
			ent of Public Health ar	nd Environment Haz	ardous Materials and
	Waste Managen 80246-1530	nent Division,	HMWMD-CP-B2, 430	00 Cherry Creek Dri	ve South, Denver, CO
	Contact telephone	e and e-mail r	umbers		•
	(name)	Recor	ds Center, attn: Diana l	Huber	

(phone #)

(e-mail)

(303) 692-3331

diana.huber@state.co.us